

Valiant Communications Limited

(An ISO 9001:2015 and ISO 14001:2015 Certified Company)

Regd. Office : 71/1, Shivaji Marg, New Delhi-110015, India

Corporate Identity No. : L74899 DL1993 PLC056652 | GSTIN : 07 AAACV4250G 1ZJ

T : +91-11-4105 5601, 4105 5602, 4105 5603, 2592 8415, 2592 8416, 2541 0053

F : +91-11-2543 4300, 4105 5604

E : admin@valiantcom.com | W : www.valiantcom.com



Date: 30-03-2026

To,
The Secretary
BSE Limited
Phiroze Jeejeebhoy Towers,
25th Floor, Dalal Street, Fort,
Mumbai – 400 001

RE: Trading window closure

Dear Sir / Madam,

Please be informed that the Trading Window of the Company pursuant to the SEBI (Prohibition of Insider Trading) Regulations, 2015 read with Code of Conduct to regulate, monitor and report trading by insiders of the Company will be closed for the Designated Persons for trading of Company's equity shares from 01st April, 2026 (Wednesday) till 48 hours after the announcement of the Audited Financial Results to the public.

The closure is in connection with the finalization of financial statements/results for the quarter and year ending 31-03-2026. The Trading Window will open 48 hours after the said financial results are declared to the Stock Exchanges.

This is for your information and record.

Sincerely,
For Valiant Communications Limited

Digitally signed by MANISH KUMAR
DN: c=IN, o=Valiant
2.5.4.20=MANISH KUMAR, ou=Valiant
2.5.4.43=71/1 Shivaji Marg, New Delhi
2.5.4.42=71/1 Shivaji Marg, New Delhi
2.5.4.3=71/1 Shivaji Marg, New Delhi
2.5.4.1=71/1 Shivaji Marg, New Delhi
2.5.4.2=71/1 Shivaji Marg, New Delhi
2.5.4.3=71/1 Shivaji Marg, New Delhi
2.5.4.4=71/1 Shivaji Marg, New Delhi
2.5.4.5=71/1 Shivaji Marg, New Delhi
2.5.4.6=71/1 Shivaji Marg, New Delhi
2.5.4.7=71/1 Shivaji Marg, New Delhi
2.5.4.8=71/1 Shivaji Marg, New Delhi
2.5.4.9=71/1 Shivaji Marg, New Delhi
2.5.4.10=71/1 Shivaji Marg, New Delhi
2.5.4.11=71/1 Shivaji Marg, New Delhi
2.5.4.12=71/1 Shivaji Marg, New Delhi
2.5.4.13=71/1 Shivaji Marg, New Delhi
2.5.4.14=71/1 Shivaji Marg, New Delhi
2.5.4.15=71/1 Shivaji Marg, New Delhi
2.5.4.16=71/1 Shivaji Marg, New Delhi
2.5.4.17=71/1 Shivaji Marg, New Delhi
2.5.4.18=71/1 Shivaji Marg, New Delhi
2.5.4.19=71/1 Shivaji Marg, New Delhi
2.5.4.20=71/1 Shivaji Marg, New Delhi
2.5.4.21=71/1 Shivaji Marg, New Delhi
2.5.4.22=71/1 Shivaji Marg, New Delhi
2.5.4.23=71/1 Shivaji Marg, New Delhi
2.5.4.24=71/1 Shivaji Marg, New Delhi
2.5.4.25=71/1 Shivaji Marg, New Delhi
2.5.4.26=71/1 Shivaji Marg, New Delhi
2.5.4.27=71/1 Shivaji Marg, New Delhi
2.5.4.28=71/1 Shivaji Marg, New Delhi
2.5.4.29=71/1 Shivaji Marg, New Delhi
2.5.4.30=71/1 Shivaji Marg, New Delhi
2.5.4.31=71/1 Shivaji Marg, New Delhi
2.5.4.32=71/1 Shivaji Marg, New Delhi
2.5.4.33=71/1 Shivaji Marg, New Delhi
2.5.4.34=71/1 Shivaji Marg, New Delhi
2.5.4.35=71/1 Shivaji Marg, New Delhi
2.5.4.36=71/1 Shivaji Marg, New Delhi
2.5.4.37=71/1 Shivaji Marg, New Delhi
2.5.4.38=71/1 Shivaji Marg, New Delhi
2.5.4.39=71/1 Shivaji Marg, New Delhi
2.5.4.40=71/1 Shivaji Marg, New Delhi
2.5.4.41=71/1 Shivaji Marg, New Delhi
2.5.4.42=71/1 Shivaji Marg, New Delhi
2.5.4.43=71/1 Shivaji Marg, New Delhi
2.5.4.44=71/1 Shivaji Marg, New Delhi
2.5.4.45=71/1 Shivaji Marg, New Delhi
2.5.4.46=71/1 Shivaji Marg, New Delhi
2.5.4.47=71/1 Shivaji Marg, New Delhi
2.5.4.48=71/1 Shivaji Marg, New Delhi
2.5.4.49=71/1 Shivaji Marg, New Delhi
2.5.4.50=71/1 Shivaji Marg, New Delhi
2.5.4.51=71/1 Shivaji Marg, New Delhi
2.5.4.52=71/1 Shivaji Marg, New Delhi
2.5.4.53=71/1 Shivaji Marg, New Delhi
2.5.4.54=71/1 Shivaji Marg, New Delhi
2.5.4.55=71/1 Shivaji Marg, New Delhi
2.5.4.56=71/1 Shivaji Marg, New Delhi
2.5.4.57=71/1 Shivaji Marg, New Delhi
2.5.4.58=71/1 Shivaji Marg, New Delhi
2.5.4.59=71/1 Shivaji Marg, New Delhi
2.5.4.60=71/1 Shivaji Marg, New Delhi
2.5.4.61=71/1 Shivaji Marg, New Delhi
2.5.4.62=71/1 Shivaji Marg, New Delhi
2.5.4.63=71/1 Shivaji Marg, New Delhi
2.5.4.64=71/1 Shivaji Marg, New Delhi
2.5.4.65=71/1 Shivaji Marg, New Delhi
2.5.4.66=71/1 Shivaji Marg, New Delhi
2.5.4.67=71/1 Shivaji Marg, New Delhi
2.5.4.68=71/1 Shivaji Marg, New Delhi
2.5.4.69=71/1 Shivaji Marg, New Delhi
2.5.4.70=71/1 Shivaji Marg, New Delhi
2.5.4.71=71/1 Shivaji Marg, New Delhi
2.5.4.72=71/1 Shivaji Marg, New Delhi
2.5.4.73=71/1 Shivaji Marg, New Delhi
2.5.4.74=71/1 Shivaji Marg, New Delhi
2.5.4.75=71/1 Shivaji Marg, New Delhi
2.5.4.76=71/1 Shivaji Marg, New Delhi
2.5.4.77=71/1 Shivaji Marg, New Delhi
2.5.4.78=71/1 Shivaji Marg, New Delhi
2.5.4.79=71/1 Shivaji Marg, New Delhi
2.5.4.80=71/1 Shivaji Marg, New Delhi
2.5.4.81=71/1 Shivaji Marg, New Delhi
2.5.4.82=71/1 Shivaji Marg, New Delhi
2.5.4.83=71/1 Shivaji Marg, New Delhi
2.5.4.84=71/1 Shivaji Marg, New Delhi
2.5.4.85=71/1 Shivaji Marg, New Delhi
2.5.4.86=71/1 Shivaji Marg, New Delhi
2.5.4.87=71/1 Shivaji Marg, New Delhi
2.5.4.88=71/1 Shivaji Marg, New Delhi
2.5.4.89=71/1 Shivaji Marg, New Delhi
2.5.4.90=71/1 Shivaji Marg, New Delhi
2.5.4.91=71/1 Shivaji Marg, New Delhi
2.5.4.92=71/1 Shivaji Marg, New Delhi
2.5.4.93=71/1 Shivaji Marg, New Delhi
2.5.4.94=71/1 Shivaji Marg, New Delhi
2.5.4.95=71/1 Shivaji Marg, New Delhi
2.5.4.96=71/1 Shivaji Marg, New Delhi
2.5.4.97=71/1 Shivaji Marg, New Delhi
2.5.4.98=71/1 Shivaji Marg, New Delhi
2.5.4.99=71/1 Shivaji Marg, New Delhi
2.5.4.100=71/1 Shivaji Marg, New Delhi
**MANISH
KUMAR**

Manish Kumar
Company Secretary